

# Pedophilia-Social Shame at present

Dipankar Maiti<sup>1</sup>, Victoria Sarvand<sup>2</sup>

<sup>1</sup> Nursing Tutor, Sushrutha College of Nursing, Rajiv Gandhi University of Health Sciences, Karnataka, India

<sup>2</sup> Professor & HOD, Department of Obstetrics & Gynecological Nursing, Adichunchanagiri College of Nursing, Adichunchanagiri University, B.G. Nagara, Mandya, Karnataka, India

**How to cite this article:** Dipankar Maiti, Victoria Sarvand et al Pedophilia-Social Shame at present  
Volume 9 | Issue 1 | January-June 2023.

## Abstract

Presently in the society main pathetic and cruel news is sexual harassment as well as molestation towards children, girls, women even old age people also. By keeping this concept to make people aware have taken this initiation to put light on a very interesting topic i.e. Pedophilia. Pedophilia is a type of illness in conventional usage, a psychosexual disorder, commonly affecting adults, manifested by sexual interest in preteen children or attempts to engage in sexual acts with prepubescent children. The word pedophilia originates from the Greek παις, παιδός (país, paidós) means "child", and φιλία (philia), "friendly love" or "friendship". The term paedophilia erotica was thought up in an 1886 article by the Viennese psychiatrist Richard von Krafft-Ebing. According to the Diagnostic and Statistical Manual of Mental Disorders, fourth edition text revised the fantasies, sexual urges or behaviors must cause clinically significant distress or impairment in social, occupational or other important areas of daily functioning. Some psychological treatment ways for treating this disease are Cognitive-behavioral Therapy (CBT), Psychodynamic Therapy, Neurobiological Interventions etc.

**Keywords:** Preadolescent, Child pornography, DSM-5, Cognitive-Behavioral Therapy, POCSO

## Introduction

Pedophilia is defined as a sexual attention towards preadolescent progenies. It is empirically connected with sexual offending contrary to children. Child pornography criminals and sex crooks with child victims are more likely to be paedophiles based on self-report or unbiased measures of sexual safeties. At the same time, some paedophiles have not had any known sexual commerce with children, and perhaps half of sex offenders against children would not meet investigative criteria for pedophilia.<sup>1</sup>

Pedophilia (otherwise spelt as paedophilia) is a psychiatric condition in which an adult or older juvenile experiences a prime or exclusive sexual

desirability to prepubescent children. Even though girls typically begin the process of puberty at age of 10 or 11 where in case of boys at age 11 or 12 criteria for pedophilia extend the cut-off point for prepubescence to age 13. A person must be at least 16 years old, and at least five years older than the prepubescent child, for the lure to be diagnosed as pedophilia.<sup>2,3</sup>

As per another concept Pedophilia is a type of illness in conventional usage, a psychosexual disorder, commonly affecting adults, manifested by sexual interest in preteen children or attempts to engage in sexual acts with prepubescent children. The term was used with that connotation in the psychiatric diagnostic literature prior to the publication of the fifth edition of the DSM-5(2013), which replaced

---

## Corresponding Author:

Dipankar Maiti

Nursing Tutor, Sushrutha College of Nursing, Rajiv Gandhi University of Health Sciences, Karnataka, India

Email Id: dipankarmaiti2015@gmail.com



pedophilia with pedophilic disorder. As in earlier editions, the DSM-5 categorizes the disorder as one of several paraphilic disorders, concerning atypical sexual interests, practices, or behaviours (paraphilias).<sup>4</sup>

## Methodology

This detailed review includes open data about Pedophilia global information in all the aspects. Though the topic Pedophilia is a enormous area to discuss, still we tried best to open up the associated data reading this in various perspectives. This information collected from the different search engines like 'Cinahl', 'Google Scholar', 'Cochrane' etc. from abundant review & research articles along with a number of well-known articles. The search borne almost 70 papers, including reviews, case reports, case series, and small clinical studies. After excluding the 25 non-English reports without an English abstract, we encompassed the remaining 45, irrespective of publication date.

## Etymology

The word pedophilia originates from the Greek παῖς, παιδός (paîs, paidós) means "child", and φιλία (phíliá), "friendly love" or "friendship". Pedophilia is sometimes referred to as nepiophilia (from the Greek: νήπιος (népios) meaning "infant" or "child," which in turn derives from "ne-" and "epos" meaning "not speaking"), though this term is rarely used in theoretical sources.<sup>5</sup>

## Epidemiology

CSA is a solemn problem of substantial magnitude throughout the world. A recent systematic assessment of 55 studies from 24 countries found much assortment

in studies in terms of definition and measurement of CSA and clinched that rate of CSA ranged from 8 to 31% for women and from 3 to 17% for men. Despite alike methodological challenges, other methodical reviews which included studies showed worldwide across hundreds of different age-cohort samples have observed alarming rates of CSA, with averages of 18–20% for females and of 8–10% for males, with the lowest rates for both girls (11.3%) and boys (4.1%) found in Asia, and highest rates found for girls in Australia (21.5%) and for boys in Africa (19.3%).<sup>13</sup>

Children, under the age of 18, underwrite to 37% of India's population with large proportions experiencing great denials such as lack of access to basic education, nutrition or health care. A large-scale national study showed in the year 2007 by MoWCD , to assess the extent and nature of child abuse in India, uncovered some alarming statistics; that among the 12,447 children interviewed, more than half (53 %) reported experience of sexual abuse, defined as "sexual assault, making the child fondle private parts, making the child exhibit private body parts and being photographed in the nude" and over 20 percent reported severe sexual abuse.<sup>14</sup>

## History of Pedophilia

Pedophilia was first officially documented and named in the late 19th century. A noteworthy amount of research in the area has taken place since the year 1980s. Even though habitually recognized in men, there are also women who exhibit the syndrome and researchers taken up obtainable estimates underrepresent the true number of female pedophiles. No cure for pedophilia has been developed, but there are therapies that can reduce the incidence of a person obligating child sexual abuse. The exact causes of pedophilia have not been convincingly recognized. Some studies of pedophilia in child sex offenders have allied it with various neurological abnormalities and psychological pathologies.<sup>6</sup> The term paedophilia erotica was devised in an 1886 article by the Viennese psychiatrist Richard von Krafft-Ebing but does not go in the author's *Psychopathia Sexualis* until the 10th German edition. A number of authors prophesied Krafft-Ebing's diagnostic gesture. In *Psychopathia Sexualis*, the term seems in a section titled "Violation of Individuals Under the Age of Fourteen", which emphasizes on the forensic psychiatry aspect of child sexual crooks in general. Krafft-Ebing labels numerous typologies of offender, separating them

into psychopathological and non-psychopathological ancestries, and hypothesizes several seeming causal factors that may lead to the sexual abuse of children.

## Causes

Numerous factors could play a role in the progress of paedophilic condition such as:

- genetics and epigenetics
- hormones
- developmental differences
- differences in brain structure
- childhood experiences

Since many studies involve only people who have acted out pedophilic behaviour and are in the legal organization as a result, research on those with pedophilia who don't act on their thoughts is still imperfect.<sup>5</sup> Factors linked to pedophilia include:

- Pathological or dysfunctional family systems
- Developmental disruptions
- Certain neurobiological factors
- absence of social support in childhood
- Certain biological factors<sup>7</sup>

## Clinical Manifestations

A pedophile is habitually looks particularly reliable to the children who are potential fatalities. Probable pedophiles may volunteer their services to athletic teams, Scout troops, or devout or civic organizations that serve youth. They may also maintain that they are "teaching" the child about "the facts of life" or "love"; this reasoning is recurrently offered by pedophiles who have molested children related to them. All these rationalizations may be initiate in pornography with pedophilic themes.

The three official indicators of pedophilia per the DSM-5 are:

- Tenacious and recurrent sexually touching fantasies, urges, or behaviors involving a prepubescent child experienced for at least 6 months
- Momentous distress or interpersonal challenges caused by sexual fantasies and desires involving a prepubescent child
- Having devoted an actual sexual felony in contradiction of a child.<sup>8</sup>

## Diagnosis

According to the Diagnostic and Statistical Manual of Mental Disorders, fourth edition text revised, the following criteria must be met to establish a diagnosis of pedophilia.

- Over a period of at least six months, the affected person must experience recurrent, intense and sexually arousing fantasies, sexual urges or actual behaviors involving sexual activity with a prepubescent child or children aged 13 or younger.
- The fantasies, sexual urges or behaviors must cause clinically significant distress or impairment in social, occupational or other important areas of daily functioning.
- The affected person must be at least age sixteen and be at least five years older than the child or children who are the objects or targets of attention or sexual activity.<sup>9</sup>

## Treatment

- Cognitive-behavioral Therapy (CBT)

CBT is one of the most investigated interventions for addressing challenging patterns of sexual arousal, and it has demonstrated some effectiveness at dipping sexual offending risk. Treatment focuses on altering behaviour through cognitive restructuring.

- Psychodynamic Therapy

Psychodynamic therapy may be a more apposite option for individuals wishing to sightsee childhood traumas, early sexual development, and personality structures.

- Relapse Prevention

Relapse inhibition is generally used in dealing for individuals who have committed sexual offenses. This approach focuses on disregarding risk factors accompanying with sexual abuse of children. Individuals learn to forestall emotional and behavioural initiations, as well as risk circumstances (e.g., watching child pornography) that could hurry sexual felonious.

- Strengths-based Tactics to Therapy

Strengths-based therapists are qualified to comprehend and appreciate the influence of the environment in uniqueness development.

Strengths-based therapy with minor-attracted individuals fosters negotiations about social stigma and its impact on their expressive and psychosocial well-being. While a strengths-based viewpoint can be integrated into most types of psychotherapies, some are more unsurprisingly suited to this approach, such as narrative therapy and compassion-focused therapy.

- Neurobiological Interventions

SSRIs are often prescribed to help diminution sexual craving, sexual urges, and compulsive sexual behavior. This method is most commonly used with individuals who have been sentenced of a sexual crime, bring into line with the main objective to reduce sexual recidivism risk.

## Things To Be Considered

### Coping Strategies

Main eight deal with strategies for minor-attracted individuals are:

- Self-education (learning about pedophilia from apposite sources)
- Connecting with online peer support groups
- Partaking in research
- Practicing healthy affiliation skills with same-age friends
- Journaling to externalize feelings of humiliation and other emotional problems
- Embracing movement (generating or engaging in new projects that enlarge sense of self and distinctiveness)
- Participating in events to keep engaged and inspired
- Some individuals assistance from involvement in spiritual and faith communities

### Helplines for Pedophilia

- **B4U-ACT**: provides capitals for adolescents and adults undergoing minor-attraction and offers edifying chances for providers interested in working with this population.
- **ATSA**: International organization for the anticipation of childhood sexual abuse through research and education

- **Christian Pedophile**
- **Virtuous Pedophiles**: online community offering social backing for pedophiles who are stanch to non-offending living
- **Help Wanted**: online course providing tools for individuals who are concerned to children
- **The Global Prevention Project**: organization/podcast indorsing mental wellness and prevention of childhood sexual abuse through intervention.

## India and its stand on pedophilia

Pedophilia is not a crime under the Indian law, because Indian law does not recognize pedophilia at all. POCSO is the only act that is been made for saving the molestation in India. Child predatory apprehensions are valid in any country and laws to guard them must be executed. The POCSO Act, 2012 was enacted to provide a legal framework for the protection of children from crimes like sexual assault, sexual annoyance, and pornography, while safeguarding the interest of the child at each stage of the judicial procedure. The Act make available for a variety of offenses under which an defendants can be penalized. It recognizes forms of infiltration other than penile-vaginal penetration and criminalizes acts of arrogance against children too. Crimes under the act include- Penetrative Sexual Assault: Inset of penis/object/another body part in a child's vagina/urethra/anus/mouth, or requesting the child to do so with them or some other person Sexual Assault: When a person traces the child or makes the child touch them or someone else Sexual Harassment: passing sexual remarks, sexual gestures, recurrently following, flashing them, etc.

**Child Pornography** The act is gender-neutral for both children and the defendant. The Act also makes abetment of a child sexual misuse an offense. So essentially, this Act only emphasizes on the victims and gives all the sexual criminals the same kind of punishment, but what it disregards is the mental condition of the offender. Pedophilia is a psychiatric disorder that cannot be fully pickled, so even if the criminal does his/her time in jail, it doesn't assurance that he/she will not repeat it again in the future, because of the lack of proper treatment.<sup>10</sup>

## Misconceptions

- Pedophilia is the same as like child harassment
- Catastrophe in the brain to identify which

environmental stimuli should incite a sexual response

- Pedophilia is much more communal among men than among women.

### Case Reports

**Report No. 1** - Mr. A, a 70-year-old man, was hospitalized in 2005 with a history of engaging in carnal behaviour with female children 6 to 7 years old. The history was attained from Mr. A's adult son, as the patient firstly denied any problem. Throughout the last 13 years, Mr. A had been giving young girls money, later captivating them to far-flung places and undressing them and caressing their genitals. On 1 or 2 times, he had apparently attempted intercourse (founded on reports from the victims' families of vaginal bleeding). However, Mr. A's family was troubled that he may molest these children and get detained and thus locked him in the house often. Mr. A's medical history was prominent for a cataract surgery in the left eye 3 months before admission. He had no history of psychiatric or progressive problems and had exhibited no prior divergent sexual behaviour. There was no history evocative of cerebrovascular disease or dementia.<sup>11</sup>

**Report No. 2** - A 55-year-old male salutation from middle socioeconomic bands of urban Bihar, a father to two sons prevailing as outpatient in department of Psychiatry, IGIMS, Patna escorted by his wife in month of December, 2017 with chief grievances of low mood and sensation of guilt with suicidal ideations for last 1 year. On detail valuation and history taking, patient an airport official with an regular intelligence had been freshly transferred as a corrective step from higher authorities exposed with a teary and downward gaze eyes, along with his wife who too was crying while deliberating the ordeals of her husband, that all worry and current state aroused because of his sexual attention towards little children of either sex boy or girl, which had been present for years since his adolescent days, and contempt his efforts, this magnetism remained persistent and often landed the whole family into moments of awkwardness and shame. The entire family had to recklessness their house, they had been living for years all of a sudden, his children had to leave their sequence of study and shift to this city to evade any legal significances. Consequently, he said that a crisis arose in their house, and subsequently has developed low mood and guilt to the extent of not wanting to live anymore.<sup>12</sup>

### Conclusion

Pedophilia is a rare type of psychiatric abnormality but mostly undiagnosed as related with sensitive issues especially child molestation. So, we, authors have tried to cover the associated data regarding this this order to make society more and more aware. We hope that the readers will receive all the statistics as well as information about this condition.

### List of Abbreviations

DSM-5 - Diagnostic and Statistical Manual of Mental Disorders (Fifth Edition)

CSA - Childhood Sexual Abuse

SSRIs-Selective Serotonin Reuptake Inhibitors

POCSO - Protection of Children from Sexual Offences

MoWCD - Ministry of Women and Child Development

ATSA - Connotation for the Treatment of Sexual Abusers

CBT - Cognitive-Behavioral Therapy

### Source of Funding

Self (review article), No financial support was provided relevant to this article.

**Conflict of Interest** - Have no conflict of interest relevant to this article

**Ethical Clearance** - Not Required

### Reference

1. Seto MC. Pedophilia. <http://dx.doi.org/101146/annurev.clinpsy032408153618> [Internet]. 2009 Mar 27 [cited 2022 Sep 19];5:391-407. Available from: <https://www.annualreviews.org/doi/abs/10.1146/annurev.clinpsy.032408.153618>
2. Kail, RV; Cavanaugh JC (2010). Human Development: A Lifespan View (5th ed.). Cengage Learning. p. 296. ISBN 978-0495600374. Archived from the original on 2021-01-12. Retrieved 2016-04-15.
3. Diagnostic and Statistical Manual of Mental Disorders, 5th Edition. American Psychiatric Publishing. 2013. Archived from the original on July 10, 2013. Retrieved July 25, 2013.
4. Pedophilia | Definition & Facts | Britannica [Internet]. [cited 2022 Sep 19]. Available from: <https://www.britannica.com/topic/pedophilia>

5. S. Berlin, Frederick. "Interview with Frederick S. Berlin, M.D., Ph.D". Office of Media Relations. Archived from the original on June 23, 2011. Retrieved 2008-06-27.
6. Seto, Michael (2008). *Pedophilia and Sexual Offending Against Children*. Washington, DC: American Psychological Association. p. xii, 186. ISBN 978-1-4338-2926-0.
7. Tenbergen G, Wittfoth M, Frieling H, Ponseti J, Walter M, Walter H, et al. The neurobiology and psychology of pedophilia: Recent advances and challenges. *Front Hum Neurosci*. 2015 Jun 24;9(JUNE).
8. American Psychiatric Association. *Diagnostic and Statistical Manual of Mental Disorders*. 2013 May 22 [cited 2022 Sep 19]; Available from: <https://psychiatryonline.org/doi/book/10.1176/appi.books.9780890425596>
9. Schiffer B, Peschel T, Paul T, Gizewski E, Forsting M, Leygraf N, et al. Structural brain abnormalities in the frontostriatal system and cerebellum in pedophilia. *J Psychiatr Res*. 2007;41(9):753–62.
10. Pedophilia: A mental disorder, not a crime per se [Internet]. [cited 2022 Sep 19]. Available from: <https://www.lawyersclubindia.com/articles/pedophilia-a-mental-disorder-not-a-crime-per-se-11600.asp>
11. Rao NP, Chand PK, Murthy P. A Case of Late-Onset Pedophilia and Response to Sertraline. *Prim Care Companion J Clin Psychiatry* [Internet]. 2007 [cited 2022 Sep 19];9(3):235. Available from: <http://pmc/articles/PMC1911163/>
12. Sinha N, Kumar R, Singh KK. Pedophilic Disorder: A Case Report. *Journal of Indira Gandhi Institute Of Medical Sciences* [Internet]. 2019 [cited 2022 Sep 19];5(1):87. Available from: <http://www.jigims.co.in/article.asp?issn=2394-9031;year=2019;volume=5;issue=1;spage=87;epage=88;aulast=Sinha>
13. Pereda N, Guilera G, Forns M, Gómez-Benito J. The international epidemiology of child sexual abuse: A continuation of Finkelhor (1994). *Child Abuse & Neglect*. 2009;33(6):331–42. 10.1016/j.chiabu.2008.07.007.
14. Kacker Loveleen, Vardan Srinivas, Kumar P. *Study on Child Abuse: India 2007* Ministry of Women and Child Development, Government of India, 2007.